



KONICA MINOLTA

OFFICE SYSTEMS LINE-UP

September 2016



Giving Shape to Ideas

LINE-UP
OFFICE SYSTEMS

WORKING ENVIRONMENTS IN STEP WITH TODAY'S WORLD

✦ Making offices more efficient

From small businesses to big enterprises, companies today strive to find the individual document solution best suited to their specific and diverse business needs. The comprehensive services, systems and solutions that Konica Minolta provides cover the requirements of the entire document life cycle in the office. Our exclusively designed range of highly efficient and perfectly compatible multifunctionals extends from entry-level office devices, including laser printers and small all-in-ones, to cutting-edge, high-performance production printing systems. Naturally, you always have the choice of colour as well as monochrome alternatives.

In combination with intelligent software applications, the innovative multifunctional systems from Konica Minolta bring together both digital and paper-based worlds. They therefore accommodate all the demands of the modern business with smooth workflows that help companies save time and money. Our competent solutions effectively enhance and accelerate our customers' business development.

✦ The complete document life cycle

Printing is only one part of the document life cycle. We know there's more to it – for instance document creation, archiving and retrieval. Information is an essential "resource", but you can only exploit its full potential by viewing the document life cycle as a whole. black and white.

✦ Intelligent document creation

Our multifunctional systems are not only good at printing and copying. They are also brilliant at handling all kinds of media: formats ranging from A6 to SRA3, paper weights from 52 to 300 gsm, user-defined formats and banners up to a striking 1.2 metres in length. And yet there is so much more you can do with Konica Minolta bizhub systems: scan in paper documents, perform text recognition and output forms and bar codes – functions like these provide the perfect basis for automatic forwarding, editing and archiving.

✦ Highly efficient scanning and faxing

Quick and easy scanning has become an indispensable part of everyday office life. Once digitised, you can transfer documents directly to an electronic mailbox, an archive, a USB stick or an FTP server. And to save paper, why not send and receive your faxes directly via your PC?

✦ Simply perfect print quality

Enjoy high-quality printouts thanks to Konica Minolta's very own Simitri® HD (high definition) polymerised toner! You will appreciate the significantly lower electricity bill, which is down to the reduced fusing temperature and lower power consumption.

✦ All's well that ends well – with professional finishing

From stapling and folding right through to brochures that are ready to go, the Konica Minolta range of products and integrated solutions gives you an extensive choice of professional finishing functions. All you need to do is pick the right one for you!



Multifunctional systems 4

Colour

A4 bizhub C3110	4
A4 bizhub C3350	5
A4 bizhub C3850	6
A4 bizhub C3850FS	7
A3 bizhub C227	8
A3 bizhub C258	9
A3 bizhub C287	10
A3 bizhub C308	11
A3 bizhub C368	12
A3 bizhub C458	13
A3 bizhub C558	14
A3 bizhub C654e	15
A3 bizhub C658	16
A3 bizhub C754e	17

B/W

A4 bizhub 3320	18
A4 bizhub 4020	19
A4 bizhub 4050	20
A4 bizhub 4750	21
A3 bizhub 185	22
A3 bizhub 226	23
A3 bizhub 227	24
A3 bizhub 266	25
A3 bizhub 284e	26
A3 bizhub 287	27
A3 bizhub 306	28
A3 bizhub 364e	29
A3 bizhub 367	30
A3 bizhub 454e	31
A3 bizhub 554e	32
A3 bizhub 654e	33
A3 bizhub 758	34

Printers 35

Colour

A4 bizhub C3100P	35
------------------	----

B/W

A4 bizhub 3301P	37
A4 bizhub 4000P	38
A4 bizhub 4700P	39



bizhub C3110

✓ Colour ✓ A4 ✓ up to 31 ppm



Functionality



Printing

- Colour
- Black & white
- PCL/PS
- Local/Network
- USB



Scanning

- Colour
- Black & white
- Scan-to-eMail
- Scan-to-SMB
- Scan-to-FTP
- Scan-to-USB
- Scan-to-DPWS
- TWAIN Network



Copying

- Colour
- Black & white



Faxing

- Super G3 Fax
- PC-Fax

Finishing functionalities



Duplex

Technical specifications

SYSTEM SPECIFICATIONS

System memory	1,024 MB/2,048 MB
(standard/max)	
System hard disk	320 GB (optional)
Interface	10/100/1,000-Base-T Ethernet
	USB 2.0
	Wi-Fi 802.11b/g/n (optional)
Printable paper size	A6–A4; customised paper sizes
Printable paper weight	60–210 g/m ²
Paper input capacity	350 sheets/850 sheets
(standard/max)	
Automatic duplexing	A4; 60–210 g/m ²

PRINTER SPECIFICATIONS

Print resolution	1,200 x 1,200 dpi
	600 x 600 dpi
Page description language	PCL 6 (XL 3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS (optional)
Mobile printing	AirPrint (iOS); Mopria (Android); Wi-Fi Direct (optional); Konica Minolta Print Service (Android); PageScope Mobile (iOS/Android/Windows 10 Mobile)

SCANNER SPECIFICATIONS

Scan speed	Up to 30 ipm
(mono/colour)	
Scan resolution	Up to 600 x 600 dpi
File formats	JPEG; TIFF; PDF; Compact PDF; encrypted PDF
	Optional: XPS, PDF/A (1b)

COPIER SPECIFICATIONS

Copy/print speed A4	Up to 31 ppm
(mono/colour)	
1st copy out time A4	13.0/17.0 sec.
(mono/colour)	
Warm-up time	Approx. 38 sec.
Copy resolution	600 x 600 dpi

FAX SPECIFICATIONS

Fax standard	Super G3 (optional)
Fax transmission	Analogue
Fax resolution	Up to 600 x 600 dpi



bizhub C3350

✓ Colour ✓ A4 ✓ up to 33 ppm



Functionality



Printing

- Colour
- Black & white
- PCL/PS
- Local/Network

– USB



Scanning

- Colour
- Black & white
- Scan-to-eMail
- Scan-to-SMB
- Scan-to-FTP
- Scan-to-HDD
- Scan-to-USB
- Scan-to-WebDAV
- TWAIN Network



Copying

- Colour
- Black & white



Faxing

- Super G3 Fax
- PC-Fax
- i-Fax

Finishing functionalities



Corner stapling (offline)



Duplex

Technical specifications

SYSTEM SPECIFICATIONS

System memory 1,024 MB/2,048 MB

(standard/max)

System hard disk 320 GB (standard)

Interface

10/100/1,000-Base-T Ethernet

USB 2.0

Wi-Fi 802.11b/g/n (optional)

Printable paper size A6–A4; customised paper sizes

Printable paper weight 60–210 g/m²

Paper input capacity (standard/max) 650 sheets/1,650 sheets

Automatic duplexing A4; 60–210 g/m²

PRINTER SPECIFICATIONS

Print resolution 1,200 x 1,200 dpi
600 x 600 dpi

Page description language PCL 6 (XL 3.0); PCL 5c;
PostScript 3 (CPSI 3016); XPS

Mobile printing AirPrint (iOS); Mopria (Android); Google Cloud Print (optional);
WiFi Direct (optional); Konica Minolta Print Service (Android);
PageScope Mobile (iOS/Android/Windows 10 Mobile)

SCANNER SPECIFICATIONS

Scan speed (mono/colour) Up to 35 ipm

Scan resolution Up to 600 x 600 dpi

File formats JPEG; TIFF; PDF; compact PDF; encrypted PDF; XPS; PDF/A (1b)

COPIER SPECIFICATIONS

Copy/print speed A4 (mono/colour) Up to 33 ppm

1st copy out time A4 (mono/colour) 9.0/10.0 sec.

Warm-up time Approx. 30 sec.

Copy resolution 600 x 600 dpi

FAX SPECIFICATIONS

Fax standard Super G3 (optional)

Fax transmission Analogue; i-Fax

Fax resolution Up to 600 x 600 dpi

bizhub C3850

✓ Colour ✓ A4 ✓ up to 38 ppm



Functionality



Printing

- Colour
- Black & white
- PCL/PS
- Local/Network

– USB



Scanning

- Colour
- Black & white
- Scan-to-eMail
- Scan-to-SMB
- Scan-to-FTP
- Scan-to-HDD
- Scan-to-USB
- Scan-to-WebDAV
- TWAIN Network



Copying

- Colour
- Black & white



Faxing

- Super G3 Fax
- PC-Fax
- i-Fax

Finishing functionalities



Corner stapling (offline)



Duplex



Technical specifications

SYSTEM SPECIFICATIONS

System memory 1,024 MB/2,048 MB

(standard/max)

System hard disk 320 GB (standard)

Interface

10/100/1,000-Base-T Ethernet

USB 2.0

Wi-Fi 802.11b/g/n (optional)

Printable paper size A6–A4; customised paper sizes

Printable paper weight 60–210 g/m²

Paper input capacity 650 sheets/1,650 sheets

(standard/max)

Automatic duplexing A4; 60–210 g/m²

PRINTER SPECIFICATIONS

Print resolution 1,200 x 1,200 dpi

600 x 600 dpi

Page description language PCL 6 (XL 3.0); PCL 5c;

PostScript 3 (CPSI 3016); XPS

Mobile printing AirPrint (iOS), Mopria (Android); Google Cloud Print (optional);
WiFi Direct (optional); Konica Minolta Print Service (Android);
PageScope Mobile (iOS/Android/Windows 10 Mobile)

SCANNER SPECIFICATIONS

Scan speed Up to 35 ipm

(mono/colour)

Scan resolution Up to 600 x 600 dpi

File formats JPEG; TIFF; PDF; compact PDF; encrypted PDF; XPS; PDF/A (1b)

COPIER SPECIFICATIONS

Copy/print speed A4 Up to 38 ppm

(mono/colour)

1st copy out time A4 7.2/8.1 sec.

(mono/colour)

Warm-up time Approx. 30 sec.

Copy resolution 600 x 600 dpi

FAX SPECIFICATIONS

Fax standard Super G3 (optional)

Fax transmission Analogue; i-Fax

Fax resolution Up to 600 x 600 dpi

bizhub C3850FS

✓ Colour ✓ A4 ✓ up to 38 ppm



Functionality



Printing

- Colour
- Black & white
- PCL/PS
- Local/Network

– USB



Scanning

- Colour
- Black & white
- Scan-to-eMail
- Scan-to-SMB
- Scan-to-FTP
- Scan-to-HDD
- Scan-to-USB
- Scan-to-WebDAV
- TWAIN Network



Copying

- Colour
- Black & white



Faxing

- Super G3 Fax
- PC-Fax
- i-Fax

Finishing functionalities



Corner stapling



Duplex



Offset sorting

Technical specifications

SYSTEM SPECIFICATIONS

System memory 1,024 MB/2,048 MB

(standard/max)

System hard disk 320 GB (standard)

Interface

10/100/1,000-Base-T Ethernet

USB 2.0

Wi-Fi 802.11b/g/n (optional)

Printable paper size A6–A4; customised paper sizes

Printable paper weight 60–210 g/m²

Paper input capacity 650 sheets/1,650 sheets

(standard/max)

Automatic duplexing A4; 60–210 g/m²

Finishing modes Offset; staple

(optional)

PRINTER SPECIFICATIONS

Print resolution 1,200 x 1,200 dpi

600 x 600 dpi

Page description language PCL 6 (XL 3.0); PCL 5c;

PostScript 3 (CPSI 3016); XPS

Mobile printing AirPrint (iOS); Mopria (Android); Google Cloud Print (optional);
WiFi Direct (optional); Konica Minolta Print Service (Android);
PageScope Mobile (iOS/Android/Windows 10 Mobile)

SCANNER SPECIFICATIONS

Scan speed Up to 35 ipm

(mono/colour)

Scan resolution Up to 600 x 600 dpi

File formats JPEG; TIFF; PDF; compact PDF; encrypted PDF; XPS; PDF/A (1b)

COPIER SPECIFICATIONS

Copy/print speed A4 Up to 38 ppm

(mono/colour)

1st copy out time A4 9.3/10.2 sec.

(mono/colour)

Warm-up time Approx. 30 sec.

Copy resolution 600 x 600 dpi

FAX SPECIFICATIONS

Fax standard Super G3 (optional)

Fax transmission Analogue; i-Fax

Fax resolution Up to 600 x 600 dpi

bizhub C227

Colour A3 up to 22 ppm



Functionality



Printing

- Colour
- Black & white
- PCL/PS
- Local/Network
- USB
- Mobile



Scanning

- Colour
- Black & white
- Scan-to-eMail
- Scan-to-Me
- Scan-to-SMB
- Scan-to-Home
- Scan-to-FTP
- Scan-to-Box
- Scan-to-USB
- Scan-to-WebDAV
- Scan-to-DPWS
- TWAIN Network



Copying

- Colour
- Black & white



Faxing

- Super G3 Fax
- PC-Fax
- i-Fax
- IP-Fax



Box

- Reprint
- Distribution
- Sharing
- Box-to-Box
- Box-to-USB

Finishing functionalities



Corner stapling



Two-point stapling



Two-hole punching



Four-hole punching



Duplex



Combined mixplex/mixmedia



Half-fold



Sheet insertion, report



Letter-fold



Booklet



Offset sorting



Banner printing

Technical specifications

SYSTEM SPECIFICATIONS

System memory	2,048 MB/4,096 MB
(standard/max)	
System hard disk	250 GB (standard)
Interface	10/100/1,000-Base-T Ethernet
	USB 2.0
	Wi-Fi 802.11b/g/n (optional)
Printable paper size	A6–A3; customised paper sizes; banner paper max. 1,200 x 297 mm
Printable paper weight	60–256 g/m ²
Paper input capacity (standard/max)	1,100 sheets/3,600 sheets
Automatic duplexing	A5–A3; 60–256 g/m ²
Finishing modes (optional)	Offset; group; sort; staple; punch; centre-fold; letter fold; booklet

PRINTER SPECIFICATIONS

Print resolution	1,800 x 600 dpi
Page description language	PCL 6 (XL 3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS
Mobile printing	AirPrint (iOS), Mopria (Android); Google Cloud Print (optional); WiFi Direct (optional); Konica Minolta Print Service (Android); PageScope Mobile (iOS/Android/Windows 10 Mobile); Mobile Authentication and Pairing (via NFC for Android, via Bluetooth Low Energy for iOS devices)

SCANNER SPECIFICATIONS

Scan speed (mono/colour)	Up to 45 ipm
Scan resolution	Up to 600 x 600 dpi
File formats	JPEG; TIFF; PDF; compact PDF; XPS; compact XPS; PPTX Optional: searchable PDF; PDF/A 1a and 1b; searchable DOCX/PPTX/XLSX

COPIER SPECIFICATIONS

Copy/print speed A4 (mono/colour)	Up to 22 ppm
Copy/print speed A3 (mono/colour)	Up to 14 ppm
1st copy out time A4 (mono/colour)	6.8/8.4 sec.
Warm-up time	Approx. 20 sec.
Copy resolution	600 x 600 dpi

FAX SPECIFICATIONS

Fax standard	Super G3 (optional)
Fax transmission	Analogue; i-Fax; Colour i-Fax; IP-Fax
Fax resolution	Up to 600 x 600 dpi

bizhub C258

Colour A3 up to 25 ppm



Functionality



Printing

- Colour
- Black & white
- PCL/PS
- Local/Network
- USB
- Mobile



Scanning

- Colour
- Black & white
- Scan-to-eMail
- Scan-to-Me
- Scan-to-SMB
- Scan-to-Home
- Scan-to-FTP
- Scan-to-Box
- Scan-to-USB
- Scan-to-WebDAV
- Scan-to-DPWS
- TWAIN Network



Copying

- Colour
- Black & white



Faxing

- Super G3 Fax
- PC-Fax
- i-Fax
- IP-Fax



Box

- Reprint
- Distribution
- Sharing
- Box-to-Box
- Box-to-USB

Finishing functionalities



Corner stapling



Two-point stapling



Two-hole punching



Four-hole punching



Duplex



Combined mixplex/mixmedia



Half-fold



Sheet insertion, report



Letter-fold



Booklet



Offset sorting



Banner printing

Technical specifications

SYSTEM SPECIFICATIONS

System memory 2,048 MB/4,096 MB
(standard/max)

System hard disk 250 GB (standard)

Interface 10/100/1,000-Base-T Ethernet
USB 2.0
Wi-Fi 802.11b/g/n (optional)

Printable paper size A6-SRA3; customised paper sizes;
banner paper max. 1,200 x 297 mm

Printable paper weight 52–300 g/m²

Paper input capacity 1,150 sheets/6,650 sheets
(standard/max)

Automatic duplexing A5-SRA3; 52–256 g/m²

Finishing modes (optional) Offset; group; sort; staple; punch; half-fold; letter-fold; booklet

PRINTER SPECIFICATIONS

Print resolution 1,800 x 600 dpi
1,200 x 1,200 dpi

Page description language PCL 6 (XL 3.0); PCL 5c;
PostScript 3 (CPSI 3016); XPS

Mobile printing AirPrint (iOS); Mopria (Android); Google Cloud Print (optional);
WiFi Direct (optional); Konica Minolta Print Service (Android);
PageScope Mobile (iOS/Android/Windows 10 Mobile);
Mobile Authentication and Pairing (via NFC for Android, via
Bluetooth Low Energy for iOS devices)

SCANNER SPECIFICATIONS

Scan speed Up to 160 ipm
(mono/colour)

Scan resolution Up to 600 x 600 dpi

File formats JPEG; TIFF; PDF; compact PDF; encrypted PDF; XPS;
compact XPS; PPTX
Optional: searchable PDF; PDF/A 1a and 1b; searchable
DOCX/PPTX/XLSX

COPIER SPECIFICATIONS

Copy/print speed A4 Up to 25
(mono/colour)

Copy/print speed A3 Up to 15
(mono/colour)

1st copy out time A4 6.1/7.5 sec.
(mono/colour)

Warm-up time Approx. 20 sec.

Copy resolution 600 x 600 dpi

FAX SPECIFICATIONS

Fax standard Super G3 (optional)

Fax transmission Analogue; i-Fax; Colour i-Fax; IP-Fax

Fax resolution Up to 600 x 600 dpi

bizhub C287

Colour A3 up to 28 ppm



Functionality



Printing

- Colour
- Black & white
- PCL/PS
- Local/Network
- USB
- Mobile



Scanning

- Colour
- Black & white
- Scan-to-eMail
- Scan-to-Me
- Scan-to-SMB
- Scan-to-Home
- Scan-to-FTP
- Scan-to-Box
- Scan-to-USB
- Scan-to-WebDAV
- Scan-to-DPWS
- TWAIN Network



Copying

- Colour
- Black & white



Faxing

- Super G3 Fax
- PC-Fax
- i-Fax
- IP-Fax



Box

- Reprint
- Distribution
- Sharing
- Box-to-Box
- Box-to-USB

Finishing functionalities



Corner stapling



Two-point stapling



Two-hole punching



Four-hole punching



Duplex



Combined mixplex/mixmedia



Half-fold



Sheet insertion, report



Letter-fold



Booklet



Offset sorting



Banner printing

Technical specifications

SYSTEM SPECIFICATIONS

System memory	2,048 MB/4,096 MB
(standard/max)	
System hard disk	250 GB (standard)
Interface	10/100/1,000-Base-T Ethernet
	USB 2.0
	Wi-Fi 802.11b/g/n (optional)
Printable paper size	A6–A3; customised paper sizes; banner paper max. 1,200 x 297 mm
Printable paper weight	60–256 g/m ²
Paper input capacity (standard/max)	1,100 sheets/3,600 sheets
Automatic duplexing	A5–A3; 60–256 g/m ²
Finishing modes (optional)	Offset; group; sort; staple; punch; centre-fold; letter fold; booklet

PRINTER SPECIFICATIONS

Print resolution	1,800 x 600 dpi
Page description language	PCL 6 (XL 3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS
Mobile printing	AirPrint (iOS); Mopria (Android); Google Cloud Print (optional); WiFi Direct (optional); Konica Minolta Print Service (Android); PageScope Mobile (iOS/Android/Windows 10 Mobile); Mobile Authentication and Pairing (via NFC for Android, via Bluetooth Low Energy for iOS devices)

SCANNER SPECIFICATIONS

Scan speed (mono/colour)	Up to 45 ipm
Scan resolution	Up to 600 x 600 dpi
File formats	JPEG; TIFF; PDF; compact PDF; XPS; compact XPS; PPTX Optional: searchable PDF; PDF/A 1a and 1b; searchable DOCX/PPTX/XLSX

COPIER SPECIFICATIONS

Copy/print speed A4 (mono/colour)	Up to 28 ppm
Copy/print speed A3 (mono/colour)	Up to 14 ppm
1st copy out time A4 (mono/colour)	6.8/8.4 sec.
Warm-up time	Approx. 20 sec.
Copy resolution	600 x 600 dpi

FAX SPECIFICATIONS

Fax standard	Super G3 (optional)
Fax transmission	Analogue; i-Fax; Colour i-Fax; IP-Fax
Fax resolution	Up to 600 x 600 dpi

bizhub C308

Colour A3 up to 30 ppm



Functionality



Printing

- Colour
- Black & white
- PCL/PS
- Local/Network
- USB
- Mobile



Scanning

- Colour
- Black & white
- Scan-to-eMail
- Scan-to-Me
- Scan-to-SMB
- Scan-to-Home
- Scan-to-FTP
- Scan-to-Box
- Scan-to-USB
- Scan-to-WebDAV
- Scan-to-DPWS
- TWAIN Network



Copying

- Colour
- Black & white



Faxing

- Super G3 Fax
- PC-Fax
- i-Fax
- IP-Fax



Box

- Reprint
- Distribution
- Sharing
- Box-to-Box
- Box-to-USB

Finishing functionalities



Corner stapling



Two-point stapling



Two-hole punching



Four-hole punching



Duplex



Combined mixplex/mixmedia



Half-fold



Sheet insertion, report



Letter-fold



Booklet



Offset sorting



Banner printing

Technical specifications

SYSTEM SPECIFICATIONS

System memory	2,048 MB/4,096 MB
(standard/max)	
System hard disk	250 GB (standard)
Interface	10/100/1,000-Base-T Ethernet
	USB 2.0
	Wi-Fi 802.11b/g/n (optional)
Printable paper size	A6-SRA3; customised paper sizes; banner paper max. 1,200 x 297 mm
Printable paper weight	52–300 g/m ²
Paper input capacity	1,150 sheets/6,650 sheets
(standard/max)	
Automatic duplexing	A5-SRA3; 52–256 g/m ²
Finishing modes	Offset; group; sort; staple; punch; half-fold; letter-fold; booklet
(optional)	

PRINTER SPECIFICATIONS

Print resolution	1,800 x 600 dpi
	1,200 x 1,200 dpi
Page description language	PCL 6 (XL 3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS
Mobile printing	AirPrint (iOS); Mopria (Android); Google Cloud Print (optional); WiFi Direct (optional); Konica Minolta Print Service (Android); PageScope Mobile (iOS/Android/Windows 10 Mobile); Mobile Authentication and Pairing (via NFC for Android, via Bluetooth Low Energy for iOS devices)

SCANNER SPECIFICATIONS

Scan speed	Up to 160 ipm
(mono/colour)	
Scan resolution	Up to 600 x 600 dpi
File formats	JPEG; TIFF; PDF; compact PDF; encrypted PDF; XPS; compact XPS; PPTX
	Optional: searchable PDF; PDF/A 1a and 1b; searchable DOCX/PPTX/XLSX

COPIER SPECIFICATIONS

Copy/print speed A4	Up to 30
(mono/colour)	
Copy/print speed A3	Up to 15
(mono/colour)	
1st copy out time A4	5.6/7.3 sec.
(mono/colour)	
Warm-up time	Approx. 20 sec.
Copy resolution	600 x 600 dpi

FAX SPECIFICATIONS

Fax standard	Super G3 (optional)
Fax transmission	Analogue; i-Fax; Colour i-Fax; IP-Fax
Fax resolution	Up to 600 x 600 dpi

bizhub C368

Colour A3 up to 36 ppm



Functionality



Printing

- Colour
- Black & white
- PCL/PS
- Local/Network
- USB
- Mobile



Scanning

- Colour
- Black & white
- Scan-to-eMail
- Scan-to-Me
- Scan-to-SMB
- Scan-to-Home
- Scan-to-FTP
- Scan-to-Box
- Scan-to-USB
- Scan-to-WebDAV
- Scan-to-DPWS
- TWAIN Network



Copying

- Colour
- Black & white



Faxing

- Super G3 Fax
- PC-Fax
- i-Fax
- IP-Fax



Box

- Reprint
- Distribution
- Sharing
- Box-to-Box
- Box-to-USB

Finishing functionalities



Corner stapling



Two-point stapling



Two-hole punching



Four-hole punching



Duplex



Combined mixplex/mixmedia



Half-fold



Sheet insertion, report



Letter-fold



Booklet



Offset sorting



Banner printing

Technical specifications

SYSTEM SPECIFICATIONS

System memory	2,048 MB/4,096 MB
(standard/max)	
System hard disk	250 GB (standard)
Interface	10/100/1,000-Base-T Ethernet
	USB 2.0
	Wi-Fi 802.11b/g/n (optional)
Printable paper size	A6-SRA3; customised paper sizes; banner paper max. 1,200 x 297 mm
Printable paper weight	52–300 g/m ²
Paper input capacity	1,150 sheets/6,650 sheets
(standard/max)	
Automatic duplexing	A5-SRA3; 52–256 g/m ²
Finishing modes	Offset; group; sort; staple; punch; half-fold; letter-fold; booklet
(optional)	

PRINTER SPECIFICATIONS

Print resolution	1,800 x 600 dpi
	1,200 x 1,200 dpi
Page description language	PCL 6 (XL 3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS
Mobile printing	AirPrint (iOS); Mopria (Android); Google Cloud Print (optional); WiFi Direct (optional); Konica Minolta Print Service (Android); PageScope Mobile (iOS/Android/Windows 10 Mobile); Mobile Authentication and Pairing (via NFC for Android, via Bluetooth Low Energy for iOS devices)

SCANNER SPECIFICATIONS

Scan speed	Up to 160 ipm
(mono/colour)	
Scan resolution	Up to 600 x 600 dpi
File formats	JPEG; TIFF; PDF; compact PDF; encrypted PDF; XPS; compact XPS; PPTX
	Optional: searchable PDF; PDF/A 1a and 1b; searchable DOCX/PPTX/XLSX

COPIER SPECIFICATIONS

Copy/print speed A4	Up to 36
(mono/colour)	
Copy/print speed A3	Up to 18
(mono/colour)	
1st copy out time A4	5.6/6.9 sec.
(mono/colour)	
Warm-up time	Approx. 20 sec.
Copy resolution	600 x 600 dpi

FAX SPECIFICATIONS

Fax standard	Super G3 (optional)
Fax transmission	Analogue; i-Fax; Colour i-Fax; IP-Fax
Fax resolution	Up to 600 x 600 dpi

bizhub C458

Colour A3 up to 45 ppm



Functionality



Printing

- Colour
- Black & white
- PCL/PS
- Local/Network
- USB



Scanning

- Colour
- Black & white
- Scan-to-eMail
- Scan-to-Me
- Scan-to-SMB
- Scan-to-Home
- Scan-to-FTP
- Scan-to-Box
- Scan-to-URL
- Scan-to-USB
- Scan-to-WebDAV
- Scan-to-DPWS
- TWAIN Network



Copying

- Colour
- Black & white



Faxing

- Super G3 Fax
- PC-Fax
- i-Fax
- IP-Fax



Box

- Reprint
- Distribution
- Sharing
- Box-to-Box
- Box-to-USB

Finishing functionalities



Corner stapling



Two-point stapling



Two-hole punching



Four-hole punching



Duplex



Combined mixplex/mixmedia



Half-fold



Sheet insertion, report



Letter-fold



Booklet



Offset sorting



Z-fold



Banner printing

Technical specifications

SYSTEM SPECIFICATIONS

System memory	4,096 MB
System hard disk	250 GB (standard)
Interface	10/100/1,000-Base-T Ethernet USB 2.0 Wi-Fi 802.11b/g/n (optional)
Printable paper size	A6-SRA3; customised paper sizes; banner paper max. 1,200 x 297 mm
Printable paper weight	52–300 g/m ²
Paper input capacity (standard/max)	1,150 sheets/6,650 sheets
Automatic duplexing	A5-SRA3; 52–256 g/m ²
Finishing modes (optional)	Offset; group; sort; staple; punch; post insertion; z-fold; centre-fold; letter fold; booklet

PRINTER SPECIFICATIONS

Print resolution	1,800 (equivalent) x 600 dpi 1,200 x 1,200 dpi
Page description language	PCL 6 (XL 3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS
Mobile printing	AirPrint (iOS); Mopria (Android); Google Cloud Print (optional); WiFi Direct (optional); Konica Minolta Print Service (Android); PageScope Mobile (iOS/Android/Windows 10 Mobile); Mobile Authentication and Pairing (iOS/Android)

SCANNER SPECIFICATIONS

Scan speed (mono/colour)	Up to 120/120 ipm in simplex Up to 240/240 ipm in duplex
Scan resolution	Up to 600 x 600 dpi
File formats	JPEG; TIFF; PDF; compact PDF; encrypted PDF; XPS; compact XPS; PPTX Optional: searchable PDF; PDF/A 1a and 1b; searchable DOCX/PPTX/XLSX

COPIER SPECIFICATIONS

Copy/print speed A4 (mono/colour)	Up to 45/45
Copy/print speed A3 (mono/colour)	Up to 22/22
1st copy out time A4 (mono/colour)	4.0/5.1 sec.
Warm-up time	Approx. 25 sec. in mono; 25 sec. in colour
Copy resolution	600 x 600 dpi

FAX SPECIFICATIONS

Fax standard	Super G3 (optional)
Fax transmission	Analogue; i-Fax; Colour i-Fax; IP-Fax
Fax resolution	Up to 600 x 600 dpi

bizhub C558

Colour A3 up to 55 ppm



Functionality



Printing

– Colour
– Black & white
– PCL/PS
– Local/Network
– USB



Scanning

– Colour
– Black & white
– Scan-to-eMail
– Scan-to-SMB
– Scan-to-Home
– Scan-to-FTP
– Scan-to-Box
– Scan-to-URL
– Scan-to-USB
– Scan-to-WebDAV
– Scan-to-DPWS
– TWAIN Network



Copying

– Colour
– Black & white



Faxing

– Super G3 Fax
– PC-Fax
– i-Fax
– IP-Fax



Box

– Reprint
– Distribution
– Sharing
– Box-to-Box
– Box-to-USB

Finishing functionalities



Corner stapling



Two-point stapling



Two-hole punching



Four-hole punching



Duplex



Combined mixplex/mixmedia



Half-fold



Sheet insertion, report



Letter-fold



Booklet



Offset sorting



Z-fold



Banner printing

Technical specifications

SYSTEM SPECIFICATIONS

System memory	4,096 MB
System hard disk	250 GB (standard)
Interface	10/100/1,000-Base-T Ethernet USB 2.0 Wi-Fi 802.11b/g/n (optional)
Printable paper size	A6-SRA3; customised paper sizes; banner paper max. 1,200 x 297 mm
Printable paper weight	52–300 g/m ²
Paper input capacity (standard/max)	1,150 sheets/6,650 sheets
Automatic duplexing	A5-SRA3; 52–256 g/m ²
Finishing modes (optional)	Offset; group; sort; staple; punch; post insertion; z-fold; centre-fold; letter fold; booklet

PRINTER SPECIFICATIONS

Print resolution	1,800 (equivalent) x 600 dpi 1,200 x 1,200 dpi
Page description language	PCL 6 (XL 3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS
Mobile printing	AirPrint (iOS); Mopria (Android); Google Cloud Print (optional); WiFi Direct (optional); Konica Minolta Print Service (Android); PageScope Mobile (iOS/Android/Windows 10 Mobile); Mobile Authentication and Pairing (iOS/Android)

SCANNER SPECIFICATIONS

Scan speed (mono/colour)	Up to 120/120 ipm in simplex Up to 240/240 ipm in duplex
Scan resolution	Up to 600 x 600 dpi
File formats	JPEG; TIFF; PDF; compact PDF; encrypted PDF; XPS; compact XPS; PPTX Optional: searchable PDF; PDF/A 1a and 1b; searchable DOCX/PPTX/XLSX

COPIER SPECIFICATIONS

Copy/print speed A4 (mono/colour)	Up to 55/55
Copy/print speed A3 (mono/colour)	Up to 27/27
1st copy out time A4 (mono/colour)	3.5/4.4 sec.
Warm-up time	Approx. 22 sec. in mono; 22 sec. in colour
Copy resolution	600 x 600 dpi

FAX SPECIFICATIONS

Fax standard	Super G3 (optional)
Fax transmission	Analogue; i-Fax; Colour i-Fax; IP-Fax
Fax resolution	Up to 600 x 600 dpi

bizhub C654e

Colour A3 up to 65 ppm



Functionality



Printing

- Colour
- Black & white
- PCL/PS
- Local/Network
- USB



Scanning

- Colour
- Black & white
- Scan-to-eMail
- Scan-to-Me
- Scan-to-SMB
- Scan-to-Home
- Scan-to-FTP
- Scan-to-Box
- Scan-to-USB
- Scan-to-WebDAV
- Scan-to-DPWS
- TWAIN Network



Copying

- Colour
- Black & white



Faxing

- Super G3 Fax
- PC-Fax
- i-Fax
- IP-Fax



Box

- Reprint
- Distribution
- Sharing
- Box-to-Box
- Box-to-USB

Finishing functionalities



Corner stapling



Two-point stapling



Two-hole punching



Four-hole punching



Duplex



Combined mixplex/mixmedia



Half-fold



Sheet insertion, report



Letter-fold



Booklet



Offset sorting



Z-fold



Banner printing

Technical specifications

SYSTEM SPECIFICATIONS

System memory	2,048 MB/4,096 MB
(standard/max)	
System hard disk	250 GB (standard)
Interface	10/100/1,000-Base-T Ethernet
	USB 2.0
	Wi-Fi 802.11b/g/n (optional)
Printable paper size	A6-SRA3; customised paper sizes; banner paper max. 1,200 x 297 mm
Printable paper weight	52–300 g/m ²
Paper input capacity	3,650 sheets/6,650 sheets
(standard/max)	
Automatic duplexing	A5-SRA3; 52–256 g/m ²
Finishing modes	Offset; group; sort; staple; punch; post insertion; half-fold; letter-fold; booklet; z-fold
(optional)	

PRINTER SPECIFICATIONS

Print resolution	1,800 x 600 dpi
	1,200 x 1,200 dpi
Page description language	PCL 6 (XL 3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS
Mobile printing	AirPrint (iOS); Mopria (Android); Google Cloud Print (optional); Konica Minolta Print Service (Android); PageScope Mobile (iOS/Android/Windows 10 Mobile)

SCANNER SPECIFICATIONS

Scan speed	Up to 180 ipm
(mono/colour)	
Scan resolution	Up to 600 x 600 dpi
File formats	JPEG; TIFF; PDF; compact PDF; encrypted PDF; XPS; compact XPS; PPTX
	Optional: searchable PDF; PDF/A 1a and 1b; searchable DOCX/PPTX/XLSX

COPIER SPECIFICATIONS

Copy/print speed A4	Up to 65/60
(mono/colour)	
Copy/print speed A3	Up to 33/30
(mono/colour)	
1st copy out time A4	3.7/5.3 sec.
(mono/colour)	
Warm-up time	Approx. 22 sec.
Copy resolution	600 x 600 dpi

FAX SPECIFICATIONS

Fax standard	Super G3 (optional)
Fax transmission	Analogue; i-Fax; Colour i-Fax; IP-Fax
Fax resolution	Up to 600 x 600 dpi

bizhub C658

Colour A3 up to 65 ppm



Functionality



Printing

- Colour
- Black & white
- PCL/PS
- Local/Network
- USB
- Mobile



Scanning

- Colour
- Black & white
- Scan-to-Me
- Scan-to-SMB
- Scan-to-Home
- Scan-to-FTP
- Scan-to-Box
- Scan-to-URL
- Scan-to-USB
- Scan-to-WebDAV
- Scan-to-DPWS
- TWAIN Network



Copying

- Colour
- Black & white



Faxing

- Super G3 Fax
- PC-Fax
- i-Fax
- IP-Fax



Box

- Reprint
- Distribution
- Sharing
- Box-to-Box
- Box-to-USB

Finishing functionalities



Corner stapling



Two-point stapling



Two-hole punching



Four-hole punching



Duplex



Combined mixplex/mixmedia



Half-fold



Sheet insertion, report



Letter-fold



Booklet



Offset sorting



Z-fold



Banner printing

Technical specifications

SYSTEM SPECIFICATIONS

System memory	4,096 MB
System hard disk	250 GB (standard)
Interface	10/100/1,000-Base-T Ethernet USB 2.0 Wi-Fi 802.11b/g/n (optional)
Printable paper size	A6-SRA3; customised paper sizes; banner paper max. 1,200 x 297 mm
Printable paper weight	52–300 g/m ²
Paper input capacity (standard/max)	1,150 sheets/6,650 sheets
Automatic duplexing	A5-SRA3; 52–256 g/m ²
Finishing modes (optional)	Offset; group; sort; staple; punch; post insertion; z-fold; centre-fold; letter fold; booklet

PRINTER SPECIFICATIONS

Print resolution	1,800 (equivalent) x 600 dpi 1,200 x 1,200 dpi
Page description language	PCL 6 (XL 3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS
Mobile printing	AirPrint (iOS); Mopria (Android); Google Cloud Print (optional); WiFi Direct (optional); Konica Minolta Print Service (Android); PageScope Mobile (iOS/Android/Windows 10 Mobile); Mobile Authentication and Pairing (iOS/Android)

SCANNER SPECIFICATIONS

Scan speed (mono/colour)	Up to 120/120 ipm in simplex Up to 240/240 ipm in duplex
Scan resolution	Up to 600 x 600 dpi
File formats	JPEG; TIFF; PDF; compact PDF; encrypted PDF; XPS; compact XPS; PPTX Optional: searchable PDF; PDF/A 1a and 1b; searchable DOCX/PPTX/XLSX

COPIER SPECIFICATIONS

Copy/print speed A4 (mono/colour)	Up to 65/65
Copy/print speed A3 (mono/colour)	Up to 32/32
1st copy out time A4 (mono/colour)	3.0/4.0 sec.
Warm-up time	Approx. 22 sec. in mono; 35 sec. in colour
Copy resolution	600 x 600 dpi

FAX SPECIFICATIONS

Fax standard	Super G3 (optional)
Fax transmission	Analogue; i-Fax; Colour i-Fax; IP-Fax
Fax resolution	Up to 600 x 600 dpi

bizhub C754e

Colour A3 up to 75 ppm



Functionality



Printing

- Colour
- Black & white
- PCL/PS
- Local/Network
- USB



Scanning

- Colour
- Black & white
- Scan-to-eMail
- Scan-to-Me
- Scan-to-SMB
- Scan-to-Home
- Scan-to-FTP
- Scan-to-Box
- Scan-to-USB
- Scan-to-WebDAV
- Scan-to-DPWS
- TWAIN Network



Copying

- Colour
- Black & white



Faxing

- Super G3 Fax
- PC-Fax
- i-Fax
- IP-Fax



Box

- Reprint
- Distribution
- Sharing
- Box-to-Box
- Box-to-USB

Finishing functionalities



Corner stapling



Two-point stapling



Two-hole punching



Four-hole punching



Duplex



Combined mixplex/mixmedia



Half-fold



Sheet insertion, report



Letter-fold



Booklet



Offset sorting



Z-fold



Banner printing

Technical specifications

SYSTEM SPECIFICATIONS

System memory	2,048 MB/4,096 MB
(standard/max)	
System hard disk	250 GB (standard)
Interface	10/100/1,000-Base-T Ethernet
	USB 2.0
	Wi-Fi 802.11b/g/n (optional)
Printable paper size	A6-SRA3; customised paper sizes; banner paper max. 1,200 x 297 mm
Printable paper weight	52–300 g/m ²
Paper input capacity	3,650 sheets/6,650 sheets
(standard/max)	
Automatic duplexing	A5-SRA3; 52–256 g/m ²
Finishing modes	Offset; group; sort; staple; punch; post insertion; half-fold; letter-fold; booklet; z-fold
(optional)	

PRINTER SPECIFICATIONS

Print resolution	1,800 x 600 dpi
	1,200 x 1,200 dpi
Page description language	PCL 6 (XL 3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS
Mobile printing	AirPrint (iOS); Mopria (Android); Google Cloud Print (optional); Konica Minolta Print Service (Android); PageScope Mobile (iOS/Android/Windows 10 Mobile)

SCANNER SPECIFICATIONS

Scan speed	Up to 180 ipm
(mono/colour)	
Scan resolution	Up to 600 x 600 dpi
File formats	JPEG; TIFF; PDF; compact PDF; encrypted PDF; XPS; compact XPS; PPTX
	Optional: searchable PDF; PDF/A 1a and 1b; searchable DOCX/PPTX/XLSX

COPIER SPECIFICATIONS

Copy/print speed A4	Up to 75/60
(mono/colour)	
Copy/print speed A3	Up to 37/30
(mono/colour)	
1st copy out time A4	3.6/5.3 sec.
(mono/colour)	
Warm-up time	Approx. 22 sec.
Copy resolution	600 x 600 dpi

FAX SPECIFICATIONS

Fax standard	Super G3 (optional)
Fax transmission	Analogue; i-Fax; Colour i-Fax; IP-Fax
Fax resolution	Up to 600 x 600 dpi

bizhub 3320

▀ B/W ▀ A4 ▀ up to 33 ppm



Functionality



Printing

- Black & white
- PCL/PS
- Local/Network



Scanning

- Colour
- Black & white
- Scan-to-eMail
- Scan-to-FTP
- TWAIN Network



Copying

- Black & white



Faxing

- Super G3 Fax
- PC-Fax

Finishing functionalities



Duplex

Technical specifications

SYSTEM SPECIFICATIONS

System memory	256 MB
Interface	10/100-Base-T Ethernet (optional) USB 2.0 Wi-Fi 802.11b/g/n (optional)
Printable paper size	A6–A4; customised paper sizes
Printable paper weight	60–163 g/m ²
Paper input capacity (standard/max)	300 sheets/850 sheets
Automatic duplexing	A4; 60–90 g/m ²

PRINTER SPECIFICATIONS

Print resolution	1,200 x 1,200 dpi
Page description language	PCL 6 (XL 3.0); PCL 5; PostScript 3 (CPSI 30xx); XPS
Mobile printing	AirPrint (iOS); Mopria (Android); Konica Minolta Print Service (Android); Google Cloud Print; PageScope Mobile (iOS/Android/Windows 10 Mobile)

SCANNER SPECIFICATIONS

Scan speed (mono/colour)	Up to 42/19 ipm
Scan resolution	Up to 600 x 600 dpi
File formats	JPEG; TIFF; PDF; XPS

COPIER SPECIFICATIONS

Copy/print speed A4	Up to 33 ppm
1st copy out time A4	6.5 sec.
Copy resolution	600 x 600 dpi

FAX SPECIFICATIONS

Fax standard	Super G3 (optional)
Fax transmission	Analogue
Fax resolution	Up to 600 x 600 dpi

bizhub 4020

▣ B/W ▣ A4 ▣ up to 40 ppm



▣ Functionality



Printing

- Black & white
- PCL/PS
- Local/Network



Scanning

- Colour
- Black & white
- Scan-to-eMail
- Scan-to-SMB
- Scan-to-FTP
- Scan-to-USB
- TWAIN Network



Copying

- Black & white



Faxing

- Super G3 Fax
- PC-Fax

▣ Finishing functionalities



Duplex

▣ Technical specifications

SYSTEM SPECIFICATIONS

System memory	512 MB/2,560 MB
(standard/max)	
System hard disk	160 GB (optional)
Interface	10/100/1,000-Base-T Ethernet
	USB 2.0
	Wi-Fi 802.11b/g/n (optional)
Printable paper size	A6–A4; customised paper sizes
Printable paper weight	60–163 g/m ²
Paper input capacity	350 sheets/2,000 sheets
(standard/max)	
Automatic duplexing	A4; 60–90 g/m ²
Finishing modes	Staple
(optional)	

PRINTER SPECIFICATIONS

Print resolution	1,200 x 1,200 dpi
Page description language	PCL 6 (XL 3.0); PCL 5; PostScript 3 (CPSI 30xx); XPS
Mobile printing	AirPrint (iOS); Mopria (Android); Konica Minolta Print Service (Android); Google Cloud Print; PageScope Mobile (iOS/Android/Windows 10 Mobile)

SCANNER SPECIFICATIONS

Scan speed	Up to 41/19 ipm
(mono/colour)	
Scan resolution	Up to 600 x 600 dpi
File formats	JPEG; TIFF; PDF; XPS

COPIER SPECIFICATIONS

Copy/print speed A4	Up to 40 ppm
1st copy out time A4	6.5 sec.
Copy resolution	600 x 600 dpi

FAX SPECIFICATIONS

Fax standard	Super G3 (optional)
Fax transmission	Analogue; i-Fax; IP-Fax
Fax resolution	Up to 600 x 600 dpi

bizhub 4050

▀ B/W ▀ A4 ▀ up to 40 ppm



Functionality



Printing

- Black & white
- PCL/PS
- Local/Network
- USB



Scanning

- Colour
- Black & white
- Scan-to-eMail
- Scan-to-SMB
- Scan-to-FTP
- Scan-to-HDD
- Scan-to-USB
- Scan-to-WebDAV
- TWAIN Network



Copying

- Black & white



Faxing

- Super G3 Fax
- PC-Fax
- i-Fax
- IP-Fax

Finishing functionalities



Corner stapling



Duplex

Technical specifications

SYSTEM SPECIFICATIONS

System memory	2,048 MB
System hard disk	320 GB (standard)
Interface	10/100/1,000-Base-T Ethernet USB 2.0 Wi-Fi 802.11b/g/n (optional)
Printable paper size	A6–A4; customised paper sizes
Printable paper weight	60–163 g/m ²
Paper input capacity (standard/max)	650 sheets/2,300 sheets
Automatic duplexing	A4; 60–90 g/m ²
Finishing modes (optional)	Staple

PRINTER SPECIFICATIONS

Print resolution	1,200 x 1,200 dpi
Page description language	PCL 6 (XL 3.0); PCL 5; PostScript 3 (CPSI 30xx); XPS
Mobile printing	AirPrint (iOS), Mopria (Android); Google Cloud Print (optional); Konica Minolta Print Service (Android); PageScope Mobile (iOS/Android/Windows 10 Mobile)

SCANNER SPECIFICATIONS

Scan speed (mono/colour)	Up to 45/30 ipm
Scan resolution	Up to 600 x 600 dpi
File formats	JPEG; TIFF; PDF; XPS

COPIER SPECIFICATIONS

Copy/print speed A4	Up to 40 ppm
1st copy out time A4	8.5 sec.
Copy resolution	600 x 600 dpi

FAX SPECIFICATIONS

Fax standard	Super G3 (optional)
Fax transmission	Analogue; i-Fax; IP-Fax
Fax resolution	Up to 600 x 600 dpi



bizhub 4050

bizhub 4750

▀ B/W ▀ A4 ▀ up to 47 ppm



Functionality



Printing

- Black & white
- PCL/PS
- Local/Network
- USB



Scanning

- Colour
- Black & white
- Scan-to-eMail
- Scan-to-SMB
- Scan-to-FTP
- Scan-to-HDD
- Scan-to-USB
- Scan-to-WebDAV
- TWAIN Network



Copying

- Black & white



Faxing

- Super G3 Fax
- PC-Fax
- i-Fax
- IP-Fax

Finishing functionalities



Corner stapling



Duplex

Technical specifications

SYSTEM SPECIFICATIONS

System memory	2,048 MB
System hard disk	320 GB (standard)
Interface	10/100/1,000-Base-T Ethernet USB 2.0 Wi-Fi 802.11b/g/n (optional)
Printable paper size	A6–A4; customised paper sizes
Printable paper weight	60–163 g/m ²
Paper input capacity (standard/max)	650 sheets/2,300 sheets
Automatic duplexing	A4; 60–90 g/m ²
Finishing modes (optional)	Staple

PRINTER SPECIFICATIONS

Print resolution	1,200 x 1,200 dpi
Page description language	PCL 6 (XL 3.0); PCL 5; PostScript 3 (CPSI 30xx); XPS
Mobile printing	AirPrint (iOS); Mopria (Android); Google Cloud Print (optional); Konica Minolta Print Service (Android); PageScope Mobile (iOS/Android/Windows 10 Mobile)

SCANNER SPECIFICATIONS

Scan speed (mono/colour)	Up to 45/30 ipm
Scan resolution	Up to 600 x 600 dpi
File formats	JPEG; TIFF; PDF; XPS

COPIER SPECIFICATIONS

Copy/print speed A4	Up to 47 ppm
1st copy out time A4	8.5 sec.
Copy resolution	600 x 600 dpi

FAX SPECIFICATIONS

Fax standard	Super G3 (optional)
Fax transmission	Analogue; i-Fax; IP-Fax
Fax resolution	Up to 600 x 600 dpi

bizhub 185

▣ B/W ▣ A3 ▣ up to 18 ppm



▣ Functionality



Printing

- Black & white
- Local
- GDI



Scanning

- TWAIN Local
- WIA Scan



Copying

- Black & white

▣ Technical specifications

SYSTEM SPECIFICATIONS

System memory	32 MB
Interface	USB 2.0 Wi-Fi 802.11b/g/n (optional)
Printable paper size	A5–A3; customised paper sizes
Printable paper weight	64–157 g/m ²
Paper input capacity (standard/max)	350 sheets

PRINTER SPECIFICATIONS

Print resolution	600 x 600 dpi
Page description language	GDI XPS

SCANNER SPECIFICATIONS

Scan resolution	Up to 600 x 600 dpi
-----------------	---------------------

COPIER SPECIFICATIONS

Copy/print speed A4	Up to 18 ppm
Copy/print speed A3	Up to 9.1 ppm
1st copy out time A4	8 sec.
Warm-up time	Approx. 29 sec.
Copy resolution	600 x 600 dpi



bizhub 185

bizhub 226

▀ B/W ▀ A3 ▀ up to 22 ppm



Functionality



Printing

- Black & white
- PCL/GDI
- Local/Network



Scanning

- Colour
- Black & white
- Scan-to-eMail
- Scan-to-SMB
- Scan-to-FTP
- Scan-to-USB
- TWAIN Network



Copying

- Black & white



Faxing

- Super G3 Fax
- i-Fax
- PC-Fax

Finishing functionalities



Duplex

Technical specifications

SYSTEM SPECIFICATIONS

System memory	128 MB
Interface	10/100-Base-T Ethernet (optional) USB 2.0 Wi-Fi 802.11b/g/n (optional)
Printable paper size	A5–A3; customised paper sizes
Printable paper weight	64–157 g/m ²
Paper input capacity (standard/max)	350 sheets/1,350 sheets
Automatic duplexing	A5–A3; 64–90 g/m ² (optional)

PRINTER SPECIFICATIONS

Print resolution	GDI: 600 x 600 dpi PCL (optional): 1,200 x 600 dpi
Page description language	GDI; XPS Optional: PCL 6; PCL 5e

SCANNER SPECIFICATIONS

Scan speed (mono/colour)	Up to 46/20 ipm
Scan resolution	Up to 600 x 600 dpi
File formats	JPEG; TIFF; PDF

COPIER SPECIFICATIONS

Copy/print speed A4	Up to 22 ppm Up to 24 ppm (from optional paper tray)
Copy/print speed A3	Up to 8.0 ppm
1st copy out time A4	6.5 sec.
Warm-up time	Approx. 15 sec.
Copy resolution	600 x 600 dpi

FAX SPECIFICATIONS

Fax standard	Super G3 (optional)
Fax transmission	Analogue; i-Fax
Fax resolution	Up to 408 x 392 dpi

bizhub 227

▣ B/W ▣ A3 ▣ up to 22 ppm



Functionality



Printing

- Black & white
- PCL/PS
- Local/Network
- USB
- Mobile



Scanning

- Colour
- Black & white
- Scan-to-eMail
- Scan-to-Me
- Scan-to-SMB
- Scan-to-Home
- Scan-to-FTP
- Scan-to-Box
- Scan-to-USB
- Scan-to-WebDAV
- Scan-to-DPWS
- TWAIN Network



Copying

- Black & white



Faxing

- G3 Fax
- PC-Fax
- i-Fax
- IP-Fax



Box

- Reprint
- Distribution
- Sharing
- Box-to-Box
- Box-to-USB

Finishing functionalities



Corner stapling



Two-point stapling



Two-hole punching



Four-hole punching



Duplex



Combined mixplex/mixmedia



Half-fold



Sheet insertion, report



Letter-fold



Booklet



Offset sorting

Technical specifications

SYSTEM SPECIFICATIONS

System memory	2,048 MB/4,096 MB
(standard/max)	
System hard disk	250 GB (standard)
Interface	10/100/1,000-Base-T Ethernet
	USB 2.0
	Wi-Fi 802.11b/g/n (optional)
Printable paper size	A5–A3; A6S; customised paper sizes
Printable paper weight	60–220 g/m ²
Paper input capacity	1,100 sheets/3,600 sheets
(standard/max)	
Automatic duplexing	A5–A3; 60–209 g/m ²
Finishing modes	Offset; group; sort; staple; punch; half-fold; letter-fold;
(optional)	booklet

PRINTER SPECIFICATIONS

Print resolution	1,800 x 600 dpi
Page description language	PCL 6 (XL 3.0); PCL 5; PostScript 3 (CPSI 3016); XPS
Mobile printing	AirPrint (iOS); Mopria (Android); Google Cloud Print (optional); WiFi Direct (optional); Konica Minolta Print Service (Android); PageScope Mobile (iOS/Android/Windows 10 Mobile); Mobile Authentication and Pairing (iOS/Android)

SCANNER SPECIFICATIONS

Scan speed	Up to 45 ipm
(mono/colour)	(with optional document feeder)
Scan resolution	Up to 600 x 600 dpi
File formats	JPEG; TIFF; PDF; compact PDF; encrypted PDF; XPS; compact XPS; PPTX
	Optional: searchable PDF; PDF/A 1a and 1b; searchable DOCX/PPTX/XLSX

COPIER SPECIFICATIONS

Copy/print speed A4	Up to 22 ppm
Copy/print speed A3	Up to 14 ppm
1st copy out time A4	5.3 sec.
Warm-up time	Approx. 20 sec.
Copy resolution	600 x 600 dpi

FAX SPECIFICATIONS

Fax standard	Super G3 (optional)
Fax transmission	Analogue; i-Fax; IP-Fax
Fax resolution	Up to 600 x 600 dpi

bizhub 266

▣ B/W ▣ A3 ▣ up to 26 ppm



▣ Functionality



Printing

- Black & white
- PCL
- Local/Network
- USB
- Mobile



Scanning

- Colour
- Black & white
- Scan-to-eMail
- Scan-to-SMB
- Scan-to-FTP
- Scan-to-USB
- Twain Network



Copying

- Black & white



Faxing

- Super G3 Fax
- i-Fax
- PC-Fax

▣ Finishing functionalities



Duplex

▣ Technical specifications

SYSTEM SPECIFICATIONS

System memory	512 MB
Interface	10/100-Base-T Ethernet (optional) USB 2.0 Wi-Fi 802.11b/g/n (optional)
Printable paper size	A5–A3; customised paper sizes
Printable paper weight	64–157 g/m ²
Paper input capacity (standard/max)	350 sheets/1,350 sheets
Automatic duplexing	A5–A3; 64–90 g/m ²
Finishing modes	Group; sort; crisscross

PRINTER SPECIFICATIONS

Print resolution	600 x 600 dpi 1,200 x 600 dpi
Page description language	PCL 6/5e
Mobile printing	PageScope Mobile (iOS/Android/Windows 10 Mobile); Mobile Pairing (iOS/Android)

SCANNER SPECIFICATIONS

Scan speed (mono/colour)	Up to 46/26 ipm
Scan resolution	Up to 600 x 600 dpi
File formats	JPEG; TIFF; PDF

COPIER SPECIFICATIONS

Copy/print speed A4	Up to 26 ppm
Copy/print speed A3	Up to 11 ppm
1st copy out time A4	5.0 sec.
Warm-up time	Approx. 13 sec.
Copy resolution	600 x 600 dpi

FAX SPECIFICATIONS

Fax standard	Super G3 (optional)
Fax transmission	Analogue; i-Fax
Fax resolution	Up to 408 x 392 dpi

bizhub 284e

▀ B/W ▀ A3 ▀ up to 28 ppm



Functionality



Printing

- Black & white
- PCL/PS
- Local/Network
- USB



Scanning

- Colour
- Black & white
- Scan-to-eMail
- Scan-to-Me
- Scan-to-SMB
- Scan-to-Home
- Scan-to-FTP
- Scan-to-Box
- Scan-to-USB
- Scan-to-WebDAV
- Scan-to-DPWS
- TWAIN Network



Copying

- Black & white



Faxing

- Super G3 Fax
- PC-Fax
- i-Fax
- IP-Fax



Box

- Reprint
- Distribution
- Sharing
- Box-to-Box
- Box-to-USB

Finishing functionalities



Corner stapling



Two-point stapling



Two-hole punching



Four-hole punching



Duplex



Combined mixplex/mixmedia



Half-fold



Sheet insertion, report



Letter-fold



Booklet



Offset sorting



Banner printing

Technical specifications

SYSTEM SPECIFICATIONS

System memory	2,048 MB/4,096 MB
(standard/max)	
System hard disk	250 GB (standard)
Interface	10/100/1,000-Base-T Ethernet
	USB 2.0
	Wi-Fi 802.11b/g/n (optional)
Printable paper size	A6–SRA3; customised paper sizes; banner paper max. 1,200 x 297 mm
Printable paper weight	52–300 g/m ²
Paper input capacity (standard/max)	1,150 sheets/3,650 sheets
Automatic duplexing	A5–SRA3; 52–256 g/m ²
Finishing modes (optional)	Offset; group; sort; staple; punch; half-fold; letter-fold; booklet

PRINTER SPECIFICATIONS

Print resolution	1,800 x 600 dpi
	1,200 x 1,200 dpi
Page description language	PCL 6 (XL 3.0); PCL 5; PostScript 3 (CPSI 3016); XPS
Mobile printing	AirPrint (iOS); Mopria (Android); Google Cloud Print (optional); WiFi Direct (optional); Konica Minolta Print Service (Android); PageScope Mobile (iOS/Android/Windows 10 Mobile)

SCANNER SPECIFICATIONS

Scan speed (mono/colour)	Up to 160 ipm (with optional document feeder)
Scan resolution	Up to 600 x 600 dpi
File formats	JPEG; TIFF; PDF; compact PDF; encrypted PDF; XPS; compact XPS; PPTX
	Optional: searchable PDF; PDF/A 1a and 1b; searchable DOCX/PPTX/XLSX

COPIER SPECIFICATIONS

Copy/print speed A4	Up to 28 ppm
Copy/print speed A3	Up to 14 ppm
1st copy out time A4	5.9 sec.
Warm-up time	Approx. 20 sec.
Copy resolution	600 x 600 dpi

FAX SPECIFICATIONS

Fax standard	Super G3 (optional)
Fax transmission	Analogue; i-Fax; IP-Fax
Fax resolution	Up to 600 x 600 dpi

bizhub 287

▀ B/W ▀ A3 ▀ up to 28 ppm



Functionality



Printing

- Black & white
- PCL/PS
- Local/Network
- USB
- Mobile



Scanning

- Colour
- Black & white
- Scan-to-eMail
- Scan-to-Me
- Scan-to-SMB
- Scan-to-Home
- Scan-to-FTP
- Scan-to-Box
- Scan-to-USB
- Scan-to-WebDAV
- Scan-to-DPWS
- TWAIN Network



Copying

- Black & white



Faxing

- G3 Fax
- PC-Fax
- i-Fax
- IP-Fax



Box

- Reprint
- Distribution
- Sharing
- Box-to-Box
- Box-to-USB

Finishing functionalities



Corner stapling



Two-point stapling



Two-hole punching



Four-hole punching



Duplex



Combined mixplex/mixmedia



Half-fold



Sheet insertion, report



Letter-fold



Booklet



Offset sorting

Technical specifications

SYSTEM SPECIFICATIONS

System memory	2,048 MB/4,096 MB
(standard/max)	
System hard disk	250 GB (standard)
Interface	10/100/1,000-Base-T Ethernet
	USB 2.0
	Wi-Fi 802.11b/g/n (optional)
Printable paper size	A5–A3; A6S; customised paper sizes
Printable paper weight	60–220 g/m ²
Paper input capacity	1,100 sheets/3,600 sheets
(standard/max)	
Automatic duplexing	A5–A3; 60–209 g/m ²
Finishing modes	Offset; group; sort; staple; punch; half-fold; letter-fold;
(optional)	booklet

PRINTER SPECIFICATIONS

Print resolution	1,800 x 600 dpi
Page description language	PCL 6 (XL 3.0); PCL 5; PostScript 3 (CPSI 3016); XPS
Mobile printing	AirPrint (iOS); Mopria (Android); Google Cloud Print (optional); WiFi Direct (optional); Konica Minolta Print Service (Android); PageScope Mobile (iOS/Android/Windows 10 Mobile); Mobile Authentication and Pairing (iOS/Android)

SCANNER SPECIFICATIONS

Scan speed	Up to 45 ipm
(mono/colour)	(with optional document feeder)
Scan resolution	Up to 600 x 600 dpi
File formats	JPEG; TIFF; PDF; compact PDF; encrypted PDF; XPS; compact XPS; PPTX
	Optional: searchable PDF; PDF/A 1a and 1b; searchable DOCX/PPTX/XLSX

COPIER SPECIFICATIONS

Copy/print speed A4	Up to 28 ppm
Copy/print speed A3	Up to 14 ppm
1st copy out time A4	5.3 sec.
Warm-up time	Approx. 20 sec.
Copy resolution	600 x 600 dpi

FAX SPECIFICATIONS

Fax standard	Super G3 (optional)
Fax transmission	Analogue; i-Fax; IP-Fax
Fax resolution	Up to 600 x 600 dpi

bizhub 306

▣ B/W ▣ A3 ▣ up to 30 ppm



▣ Functionality



Printing

- Black & white
- PCL
- Local/Network
- USB
- Mobile



Scanning

- Colour
- Black & white
- Scan-to-eMail
- Scan-to-SMB
- Scan-to-FTP
- Scan-to-USB
- Twain Network



Copying

- Black & white



Faxing

- Super G3 Fax
- i-Fax
- PC-Fax

▣ Finishing functionalities



Duplex

▣ Technical specifications

SYSTEM SPECIFICATIONS

System memory	512 MB
Interface	10/100-Base-T Ethernet USB 2.0 Wi-Fi 802.11b/g/n (optional)
Printable paper size	A5–A3; customised paper sizes
Printable paper weight	64–157 g/m ²
Paper input capacity (standard/max)	350 sheets/1,350 sheets
Automatic duplexing	A5–A3; 64–90 g/m ²
Finishing modes	Group; sort; crisscross

PRINTER SPECIFICATIONS

Print resolution	600 x 600 dpi 1,200 x 600 dpi
Page description language	PCL 6/5e
Mobile printing	PageScope Mobile (iOS/Android/Windows 10 Mobile); Mobile Pairing (iOS/Android)

SCANNER SPECIFICATIONS

Scan speed (mono/colour)	Up to 46/26 ipm
Scan resolution	Up to 600 x 600 dpi
File formats	JPEG; TIFF; PDF

COPIER SPECIFICATIONS

Copy/print speed A4	Up to 30 ppm
Copy/print speed A3	Up to 11 ppm
1st copy out time A4	5.0 sec.
Warm-up time	Approx. 13 sec.
Copy resolution	600 x 600 dpi

FAX SPECIFICATIONS

Fax standard	Super G3 (optional)
Fax transmission	Analogue; i-Fax
Fax resolution	Up to 408 x 392 dpi

bizhub 364e

▀ B/W ▀ A3 ▀ up to 36 ppm



Functionality



Printing

- Black & white
- PCL/PS
- Local/Network
- USB



Scanning

- Colour
- Black & white
- Scan-to-eMail
- Scan-to-Me
- Scan-to-SMB
- Scan-to-Home
- Scan-to-FTP
- Scan-to-Box
- Scan-to-USB
- Scan-to-WebDAV
- Scan-to-DPWS
- TWAIN Network



Copying

- Black & white



Faxing

- Super G3 Fax
- PC-Fax
- i-Fax
- IP-Fax



Box

- Reprint
- Distribution
- Sharing
- Box-to-Box
- Box-to-USB

Finishing functionalities



Corner stapling



Two-point stapling



Two-hole punching



Four-hole punching



Duplex



Combined mixplex/mixmedia



Half-fold



Sheet insertion, report



Letter-fold



Booklet



Offset sorting



Banner printing

Technical specifications

SYSTEM SPECIFICATIONS

System memory	2,048 MB/4,096 MB
(standard/max)	
System hard disk	250 GB (standard)
Interface	10/100/1,000-Base-T Ethernet
	USB 2.0
	Wi-Fi 802.11b/g/n (optional)
Printable paper size	A6-SRA3; customised paper sizes; banner paper max. 1,200 x 297 mm
Printable paper weight	52–300 g/m ²
Paper input capacity	1,150 sheets/3,650 sheets
(standard/max)	
Automatic duplexing	A5-SRA3; 52–256 g/m ²
Finishing modes	Offset; group; sort; staple; punch; half-fold; letter-fold; booklet
(optional)	

PRINTER SPECIFICATIONS

Print resolution	1,800 x 600 dpi
	1,200 x 1,200 dpi
Page description language	PCL 6 (XL 3.0); PCL 5; PostScript 3 (CPSI 3016); XPS
Mobile printing	AirPrint (iOS); Mopria (Android); Google Cloud Print (optional); WiFi Direct (optional); Konica Minolta Print Service (Android); PageScope Mobile (iOS/Android/Windows 10 Mobile)

SCANNER SPECIFICATIONS

Scan speed	Up to 160 ipm
(mono/colour)	(with optional document feeder)
Scan resolution	Up to 600 x 600 dpi
File formats	JPEG; TIFF; PDF; compact PDF; encrypted PDF; XPS; compact XPS; PPTX
	Optional: searchable PDF; PDF/A 1a and 1b; searchable DOCX/PPTX/XLSX

COPIER SPECIFICATIONS

Copy/print speed A4	Up to 36 ppm
Copy/print speed A3	Up to 18 ppm
1st copy out time A4	5.3 sec.
Warm-up time	Approx. 20 sec.
Copy resolution	600 x 600 dpi

FAX SPECIFICATIONS

Fax standard	Super G3 (optional)
Fax transmission	Analogue; i-Fax; IP-Fax
Fax resolution	Up to 600 x 600 dpi

bizhub 367

▣ B/W ▣ A3 ▣ up to 36 ppm



Functionality



Printing

- Black & white
- PCL/PS
- Local/Network
- USB
- Mobile



Scanning

- Colour
- Black & white
- Scan-to-eMail
- Scan-to-Me
- Scan-to-SMB
- Scan-to-Home
- Scan-to-FTP
- Scan-to-Box
- Scan-to-USB
- Scan-to-WebDAV
- Scan-to-DPWS
- TWAIN Network



Copying

- Black & white



Faxing

- G3 Fax
- PC-Fax
- i-Fax
- IP-Fax



Box

- Reprint
- Distribution
- Sharing
- Box-to-Box
- Box-to-USB

Finishing functionalities



Corner stapling



Two-point stapling



Two-hole punching



Four-hole punching



Duplex



Combined mixplex/mixmedia



Half-fold



Sheet insertion, report



Letter-fold



Booklet



Offset sorting

Technical specifications

SYSTEM SPECIFICATIONS

System memory	2,048 MB/4,096 MB
(standard/max)	
System hard disk	250 GB (standard)
Interface	10/100/1,000-Base-T Ethernet
	USB 2.0
	Wi-Fi 802.11b/g/n (optional)
Printable paper size	A5–A3; A6S; customised paper sizes
Printable paper weight	60–220 g/m ²
Paper input capacity	1,100 sheets/3,600 sheets
(standard/max)	
Automatic duplexing	A5–A3; 60–209 g/m ²
Finishing modes	Offset; group; sort; staple; punch; half-fold; letter-fold;
(optional)	booklet

PRINTER SPECIFICATIONS

Print resolution	1,800 x 600 dpi
Page description language	PCL 6 (XL 3.0); PCL 5; PostScript 3 (CPSI 3016); XPS
Mobile printing	AirPrint (iOS); Mopria (Android); Google Cloud Print (optional); WiFi Direct (optional); Konica Minolta Print Service (Android); PageScope Mobile (iOS/Android/Windows 10 Mobile); Mobile Authentication and Pairing (iOS/Android)

SCANNER SPECIFICATIONS

Scan speed	Up to 45 ipm
(mono/colour)	(with optional document feeder)
Scan resolution	Up to 600 x 600 dpi
File formats	JPEG; TIFF; PDF; compact PDF; encrypted PDF; XPS; compact XPS; PPTX
	Optional: searchable PDF; PDF/A 1a and 1b; searchable DOCX/PPTX/XLSX

COPIER SPECIFICATIONS

Copy/print speed A4	Up to 36 ppm
Copy/print speed A3	Up to 18 ppm
1st copy out time A4	4.3 sec.
Warm-up time	Approx. 20 sec.
Copy resolution	600 x 600 dpi

FAX SPECIFICATIONS

Fax standard	Super G3 (optional)
Fax transmission	Analogue; i-Fax; IP-Fax
Fax resolution	Up to 600 x 600 dpi

bizhub 454e

▀ B/W ▀ A3 ▀ up to 45 ppm



Functionality



Printing

- Black & white
- PCL/PS
- Local/Network
- USB



Scanning

- Colour
- Black & white
- Scan-to-eMail
- Scan-to-Me
- Scan-to-SMB
- Scan-to-Home
- Scan-to-FTP
- Scan-to-Box
- Scan-to-USB
- Scan-to-WebDAV
- Scan-to-DPWS
- TWAIN Network



Copying

- Black & white



Faxing

- Super G3 Fax
- PC-Fax
- i-Fax
- IP-Fax



Box

- Reprint
- Distribution
- Sharing
- Box-to-Box
- Box-to-USB

Finishing functionalities



Corner stapling



Two-point stapling



Two-hole punching



Four-hole punching



Duplex



Combined mixplex/mixmedia



Half-fold



Sheet insertion, report



Letter-fold



Booklet



Offset sorting



Banner printing

Technical specifications

SYSTEM SPECIFICATIONS

System memory	2,048 MB/4,096 MB
(standard/max)	
System hard disk	250 GB (standard)
Interface	10/100/1,000-Base-T Ethernet
	USB 2.0
	Wi-Fi 802.11b/g/n (optional)
Printable paper size	A6-SRA3; customised paper sizes; banner paper max. 1,200 x 297 mm
Printable paper weight	52–300 g/m ²
Paper input capacity (standard/max)	1,150 sheets/3,650 sheets
Automatic duplexing	A5-SRA3; 52–256 g/m ²
Finishing modes (optional)	Offset; group; sort; staple; punch; half-fold; letter-fold; booklet

PRINTER SPECIFICATIONS

Print resolution	1,800 x 600 dpi
	1,200 x 1,200 dpi
Page description language	PCL 6 (XL 3.0); PCL 5; PostScript 3 (CPSI 3016); XPS
Mobile printing	AirPrint (iOS); Mopria (Android); Google Cloud Print (optional); WiFi Direct (optional); Konica Minolta Print Service (Android); PageScope Mobile (iOS/Android/Windows 10 Mobile)

SCANNER SPECIFICATIONS

Scan speed	Up to 80 ipm in simplex
(mono/colour)	Up to 160 ipm in duplex
Scan resolution	Up to 600 x 600 dpi
File formats	JPEG; TIFF; PDF; compact PDF; encrypted PDF; XPS; compact XPS; PPTX
	Optional: searchable PDF; PDF/A 1a and 1b; searchable DOCX/PPTX/XLSX

COPIER SPECIFICATIONS

Copy/print speed A4	Up to 45 ppm
Copy/print speed A3	Up to 22 ppm
1st copy out time A4	4.6 sec.
Warm-up time	Approx. 25 sec.
Copy resolution	600 x 600 dpi

FAX SPECIFICATIONS

Fax standard	Super G3 (optional)
Fax transmission	Analogue; i-Fax; IP-Fax
Fax resolution	Up to 600 x 600 dpi

bizhub 554e

▀ B/W ▀ A3 ▀ up to 55 ppm



Functionality



Printing

- Black & white
- PCL/PS
- Local/Network
- USB



Scanning

- Colour
- Black & white
- Scan-to-eMail
- Scan-to-Me
- Scan-to-SMB
- Scan-to-Home
- Scan-to-FTP
- Scan-to-Box
- Scan-to-USB
- Scan-to-WebDAV
- TWAIN Network



Copying

- Black & white



Faxing

- Super G3 Fax
- PC-Fax
- i-Fax
- IP-Fax



Box

- Reprint
- Distribution
- Sharing
- Box-to-Box
- Box-to-USB

Finishing functionalities



Corner stapling



Two-point stapling



Two-hole punching



Four-hole punching



Duplex



Combined mixplex/mixmedia



Half-fold



Sheet insertion, report



Letter-fold



Booklet



Offset sorting



Z-fold



Banner printing

Technical specifications

SYSTEM SPECIFICATIONS

System memory	2,048 MB/4,096 MB
(standard/max)	
System hard disk	250 GB (standard)
Interface	10/100/1,000-Base-T Ethernet
	USB 2.0
	Wi-Fi 802.11b/g/n (optional)
Printable paper size	A6–SRA3; customised paper sizes; banner paper max. 1,200 x 297 mm
Printable paper weight	52–300 g/m ²
Paper input capacity (standard/max)	1,150 sheets/3,650 sheets
Automatic duplexing	A5–SRA3; 52–256 g/m ²
Finishing modes (optional)	Offset; group; sort; staple; punch; post insertion; half-fold; letter-fold; booklet; z-fold

PRINTER SPECIFICATIONS

Print resolution	1,800 x 600 dpi
	1,200 x 1,200 dpi
Page description language	PCL 6 (XL 3.0); PCL 5; PostScript 3 (CPSI 3016); XPS
Mobile printing	AirPrint (iOS); Mopria (Android); Google Cloud Print (optional); WiFi Direct (optional); Konica Minolta Print Service (Android); PageScope Mobile (iOS/Android/Windows 10 Mobile)

SCANNER SPECIFICATIONS

Scan speed (mono/colour)	Up to 80 ipm in simplex
	Up to 160 ipm in duplex
Scan resolution	Up to 600 x 600 dpi
File formats	JPEG; TIFF; PDF; compact PDF; encrypted PDF; XPS; compact XPS; PPTX
	Optional: searchable PDF; PDF/A 1a and 1b; searchable DOCX/PPTX/XLSX

COPIER SPECIFICATIONS

Copy/print speed A4	Up to 55 ppm
Copy/print speed A3	Up to 27 ppm
1st copy out time A4	4.1 sec.
Warm-up time	Approx. 22 sec.
Copy resolution	600 x 600 dpi

FAX SPECIFICATIONS

Fax standard	Super G3 (optional)
Fax transmission	Analogue; i-Fax; IP-Fax
Fax resolution	Up to 600 x 600 dpi

bizhub 554e

bizhub 654e

▀ B/W ▀ A3 ▀ up to 65 ppm



Functionality



Printing

- Black & white
- PCL/PS
- Local/Network
- USB



Scanning

- Colour
- Black & white
- Scan-to-eMail
- Scan-to-Me
- Scan-to-SMB
- Scan-to-Home
- Scan-to-FTP
- Scan-to-Box
- Scan-to-USB
- Scan-to-WebDAV
- TWAIN Network
- Scan-to-DPWS



Copying

- Black & white



Faxing

- Super G3 Fax
- PC-Fax
- i-Fax
- IP-Fax



Box

- Reprint
- Distribution
- Sharing
- Box-to-Box
- Box-to-USB

Finishing functionalities



Corner stapling



Two-point stapling



Two-hole punching



Four-hole punching



Duplex



Combined mixplex/mixmedia



Half-fold



Sheet insertion, report



Letter-fold



Booklet



Offset sorting



Z-fold



Banner printing

Technical specifications

SYSTEM SPECIFICATIONS

System memory	2,048 MB/4,096 MB
(standard/max)	
System hard disk	250 GB (standard)
Interface	10/100/1,000-Base-T Ethernet
	USB 2.0
	Wi-Fi 802.11b/g/n (optional)
Printable paper size	A6-SRA3; customised paper sizes; banner paper max. 1,200 x 297 mm
Printable paper weight	52–300 g/m ²
Paper input capacity (standard/max)	3,650 sheets/6,650 sheets
Automatic duplexing	A5-SRA3; 52–256 g/m ²
Finishing modes (optional)	Offset; group; sort; staple; punch; post insertion; half-fold; letter-fold; booklet; z-fold

PRINTER SPECIFICATIONS

Print resolution	1,800 x 600 dpi
	1,200 x 1,200 dpi
Page description language	PCL 6 (XL 3.0); PCL 5; PostScript 3 (CPSI 3016); XPS
Mobile printing	AirPrint (iOS); Mopria (Android); Google Cloud Print (optional); WiFi Direct (optional); Konica Minolta Print Service (Android); PageScope Mobile (iOS/Android/Windows 10 Mobile)

SCANNER SPECIFICATIONS

Scan speed (mono/colour)	Up to 90 ipm in simplex
	Up to 180 ipm in duplex
Scan resolution	Up to 600 x 600 dpi
File formats	JPEG; TIFF; PDF; compact PDF; encrypted PDF; XPS; compact XPS; PPTX
	Optional: searchable PDF; PDF/A 1a and 1b; searchable DOCX/PPTX/XLSX

COPIER SPECIFICATIONS

Copy/print speed A4	Up to 65 ppm
Copy/print speed A3	Up to 33 ppm
1st copy out time A4	3.7 sec.
Warm-up time	Approx. 22 sec.
Copy resolution	600 x 600 dpi

FAX SPECIFICATIONS

Fax standard	Super G3 (optional)
Fax transmission	Analogue; i-Fax; IP-Fax
Fax resolution	Up to 600 x 600 dpi

bizhub 654e

bizhub 758

▀ B/W ▀ A3 ▀ up to 75 ppm



Functionality



Printing

- Black & white
- PCL/PS
- Local/Network
- USB



Scanning

- Colour
- Black & white
- Scan-to-eMail
- Scan-to-SMB
- Scan-to-FTP
- Scan-to-Box
- Scan-to-USB
- TWIN Network
- Scan-to-Me
- Scan-to-Home
- Scan-to-WebDAV
- Scan-to-DPWS



Copying

- Black & white



Faxing

- Super G3 Fax
- PC-Fax
- i-Fax
- IP-Fax



Box

- Reprint
- Distribution
- Sharing
- Box-to-Box
- Box-to-USB

Finishing functionalities



Corner stapling



Two-point stapling



Two-hole punching



Four-hole punching



Duplex



Combined mixplex/mixmedia



Half-fold



Sheet insertion, report



Letter-fold



Booklet



Offset sorting



Z-fold



Banner printing

Technical specifications

SYSTEM SPECIFICATIONS

System memory	4,096 MB
(standard/max)	
System hard disk	250 GB (standard)
Interface	10/100/1,000-Base-T Ethernet
	USB 2.0
	Wi-Fi 802.11b/g/n (optional)
Printable paper size	A6–SRA3; customised paper sizes; banner paper max. 1,200 x 297 mm
Printable paper weight	52–300 g/m ²
Paper input capacity	3,650 sheets/6,650 sheets
(standard/max)	
Automatic duplexing	A5–SRA3; 52–256 g/m ²
Finishing modes	Offset; group; sort; staple; punch; post insertion; z-fold;
(optional)	centre-fold; letter fold; booklet

PRINTER SPECIFICATIONS

Print resolution	1,800 x 600 dpi
	1,200 x 1,200 dpi
Page description language	PCL 6 (XL 3.0); PCL 5; PostScript 3 (CPSI 3016); XPS
Mobile printing	AirPrint (iOS); Mopria (Android); Google Cloud Print (optional); WiFi Direct (optional); Konica Minolta Print Service (Android); PageScope Mobile (iOS/Android/Windows 10 Mobile); NFC Authentication and Pairing (Android)

SCANNER SPECIFICATIONS

Scan speed	Up to 240 ipm
(mono/colour)	
Scan resolution	Up to 600 x 600 dpi
File formats	JPEG; TIFF; PDF; compact PDF; encrypted PDF; XPS; compact XPS; PPTX; searchable PPTX
	Optional: PDF/A 1a and 1b; searchable PDF; searchable DOCX/XLSX

COPIER SPECIFICATIONS

Copy/print speed A4	Up to 75
Copy/print speed A3	Up to 37
1st copy out time A4	3.6 sec.
Warm-up time	Approx. 22 sec.
Copy resolution	600 x 600 dpi

FAX SPECIFICATIONS

Fax standard	Super G3 (optional)
Fax transmission	Analogue; i-Fax; Colour i-Fax (RFC3949-C); IP-Fax
Fax resolution	Up to 600 x 600 dpi



bizhub C3100P

✓ Colour ✓ A4 ✓ up to 31 ppm



Functionality



Printing

- Colour
- Black & white
- PCL/PS
- Local/Network
- USB

Finishing functionalities



Duplex

Technical specifications

SYSTEM SPECIFICATIONS

System memory	1,024 MB/2,048 MB
System hard disk	320 GB (optional)
Interface	10/100/1,000-Base-T Ethernet USB 2.0 Wi-Fi 802.11b/g/n (optional)
Printable paper size	A6–A4; customised paper sizes
Printable paper weight	60–210 g/m ²
Paper input capacity	350 sheets/850 sheets
Automatic duplexing	A4; 60–210 g/m ²

PRINTER SPECIFICATIONS

Print resolution	1,200 x 1,200 dpi 600 x 600 dpi
Page description language	PCL 6 (XL 3.0); PCL 5c; PostScript 3 (CPSI 3016) Optional: XPS
Mobile printing	AirPrint (iOS); Mopria (Android); Wi-Fi Direct (optional); Konica Minolta Print Service (Android); PageScope Mobile (iOS/Android/Windows 10 Mobile)



bizhub 3301P

▣ B/W ▣ A4 ▣ up to 33 ppm



▣ Functionality



Printing

- Black & white
- PCL/PS
- Local/Network

▣ Finishing functionalities



Duplex

▣ Technical specifications

SYSTEM SPECIFICATIONS

System memory	128 MB
Interface	10/100-Base-T Ethernet IEEE 1284 Bidirectional Parallel USB 2.0 Wi-Fi 802.11b/g/n (optional)
Printable paper size	A6–A4; customised paper sizes
Printable paper weight	60–163 g/m ²
Paper input capacity (standard/max)	300 sheets/850 sheets
Automatic duplexing	A4; 60–90 g/m ²

PRINTER SPECIFICATIONS

Print speed A4	Up to 33 ppm
1st print out time A4	6.5 sec.
Print resolution	1,200 x 1,200 dpi
Page description language	PCL 6 (XL 3.0); PostScript 3; XPS
Mobile printing	AirPrint (iOS); Mopria (Android); Google Cloud Print; PageScope Mobile (iOS/Android/Windows 10 Mobile)



bizhub 3301P

bizhub 4000P

▣ B/W ▣ A4 ▣ up to 40 ppm



▣ Functionality



Printing

- Black & white
- PCL/PS
- Local/Network

▣ Finishing functionalities



Duplex

▣ Technical specifications

SYSTEM SPECIFICATIONS

System memory	256 MB/1,280 MB
(standard/max)	
Interface	10/100/1,000-Base-T Ethernet
	USB 2.0
	Wi-Fi 802.11b/g/n (optional)
Printable paper size	A6–A4; customised paper sizes
Printable paper weight	60–163 g/m ²
Paper input capacity	350 sheets/2,000 sheets
(standard/max)	
Automatic duplexing	A4; 60–90 g/m ²

PRINTER SPECIFICATIONS

Print speed A4	Up to 40 ppm
1st print out time A4	6.5 sec.
Print resolution	1,200 x 1,200 dpi
Page description language	PCL 6 (XL 3.0); PostScript 3; XPS
Mobile printing	AirPrint (iOS); Mopria (Android); Konica Minolta Print Service (Android); Google Cloud Print; PageScope Mobile (iOS/Android/Windows 10 Mobile)



bizhub 4000P

bizhub 4700P

▣ B/W ▣ A4 ▣ up to 47 ppm



▣ Functionality



Printing

- Black & white
- PCL/PS
- Local/Network
- USB

▣ Finishing functionalities



Duplex

▣ Technical specifications

SYSTEM SPECIFICATIONS

System memory 256 MB/1,280 MB

(standard/max)

Interface 10/100/1,000-Base-T Ethernet
USB 2.0
Wi-Fi 802.11b/g/n (optional)

Printable paper size A6–A4; customised paper sizes

Printable paper weight 60–163 g/m²

Paper input capacity 350 sheets/2,300 sheets
(standard/max)

Automatic duplexing A4; 60–90 g/m²

PRINTER SPECIFICATIONS

Print speed A4 Up to 47 ppm

1st print out time A4 6.5 sec.

Print resolution 1,200 x 1,200 dpi

Page description PCL 6 (XL 3.0);
language PostScript 3; XPS

Mobile printing AirPrint (iOS); Mopria (Android);
Konica Minolta Print Service (Android); Google Cloud Print;
PageScope Mobile (iOS/Android/Windows 10 Mobile)



bizhub 4700P



KONICA MINOLTA

- All specifications refer to A4-size paper of 80 gsm quality.
- The support and availability of the listed specifications and functionalities varies depending on operating systems, applications and network protocols as well as network and system configurations.
- Some of the product illustrations contain optional accessories.
- Specifications and accessories are based on the information available at the time of printing and are subject to change without notice.
- Konica Minolta does not warrant that any specifications mentioned will be error-free.
- All brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

Your Konica Minolta Business Solutions Partner:

Konica Minolta
Business Solutions Europe GmbH
Europaallee 17
30855 Langenhagen 🇩🇪 Germany
Tel.: +49 (0) 511 74 04-0
Fax: +49 (0) 511 74 10 50
www.konicaminolta.eu